JCI The Journal of Clinical Investigation

Latent TGF- β -binding protein 4 modifies muscular dystrophy in mice

Ahlke Heydemann, ..., Abraham A. Palmer, Elizabeth M. McNally

J Clin Invest. 2010;120(2):645-645. https://doi.org/10.1172/JCI39845C1.

Corrigendum Muscle biology

Original citation: J. Clin. Invest. 2009;119(12):3703–3712. doi:10.1172/JCI39845. Citation for this corrigendum: J. Clin. Invest. 2010;120(2):645. doi:10.1172/JCI39845C1. During the preparation of this manuscript, Abraham A. Palmer's affiliation was given incorrectly. The correct affiliation appears below. Department of Human Genetics, University of Chicago, Chicago, Illinois, USA. During the preparation of this manuscript, reference 12 was inadvertently presented incorrectly. The incorrect reference is on page 3712. The correct reference appears below. Department of Human Genetics, University of Chicago, Chicago, Chicago, Illinois, USA. 12. Cohn, R.D., et al. 2007. Angiotensin II type 1 receptor blockade attenuates TGF-beta-induced failure of muscle regeneration in multiple myopathic states. Nat. Med.13:204–210. The authors regret the errors.



Find the latest version:

https://jci.me/39845C1/pdf



Corrigendum

Latent TGF- β -binding protein 4 modifies muscular dystrophy in mice

Ahlke Heydemann, Ermelinda Ceco, Jackie E. Lim, Michele Hadhazy, Pearl Ryder, Jennifer L. Moran, David R. Beier, Abraham A. Palmer, and Elizabeth M. McNally

Original citation: J Clin Invest. 2009;119(12):3703-3712. doi:10.1172/JCI39845.

Citation for this corrigendum: J Clin Invest. 2010;120(2):645. doi:10.1172/JCI39845C1.

During the preparation of this manuscript, Abraham A. Palmer's affiliation was given incorrectly. The correct affiliation appears below.

Department of Human Genetics, University of Chicago, Chicago, Illinois, USA.

During the preparation of this manuscript, reference 12 was inadvertently presented incorrectly. The incorrect reference is on page 3712. The correct reference appears below.

12. Cohn, R.D., et al. 2007. Angiotensin II type 1 receptor blockade attenuates TGF-beta-induced failure of muscle regeneration in multiple myopathic states. *Nat. Med.* 13:204–210.

The authors regret the errors.

Corrigendum

A positive FGFR3/FOXN1 feedback loop underlies benign skin keratosis versus squamous cell carcinoma formation in humans

Anna Mandinova, Vihren Kolev, Victor Neel, Bing Hu, Wesley Stonely, Jocelyn Lieb, Xunwei Wu, Claudia Colli, Rong Han, Michael J. Pazin, Paola Ostano, Reinhard Dummer, Janice L. Brissette, and G. Paolo Dotto

Original citation: J Clin Invest. 2009;119(10):3127-3137. doi:10.1172/JCI38543.

Citation for this corrigendum: J Clin Invest. 2010;120(2):645. doi:10.1172/JCI38543C1.

During the preparation of this manuscript, Michael J. Pazin's name was inadvertently presented incorrectly in the author list. The correct author list appears above.

Michael J. Pazin's support information was inadvertently omitted from the Acknowledgments. The correct Acknowledgments section appears below.

We thank W. Austen for human skin material, D. Prowse for the FOXN1-ER retrovirus, D. Ornitz for FGFR3 constructs, and V. Rajashekara for skillful technical help. This work was supported by NIH grants AR39190, AR054856, AR045284, CA16038, and CA73796; by the Swiss National Foundation; by a grant from the European Union (Epistem, Sixth Framework Program, LSHB-CT-2005-019067); and in part by the Cutaneous Biology Research Center through the MGH/Shiseido Co. Ltd. Agreement. Michael J. Pazin is currently supported by the Intramural Research Program of the NIH National Institute on Aging.

The authors regret the errors.